

LIFESTYLE PAVING





STANDARD SELECTIONS



BAINES EASY PAVE RANGE

Can be laid in either a half stretcher bond on random stretcher bond with bevels facing up the driveway





Charcoal



Nutmeg





AUSTRAL

CAMINO 50 RANGE

The range can be laid in a 90 degree Herringbone pattern or stretcher pattern, both have a boarder (soldier) paver





ADBRI

HAVEN BRICK RANGE




















NEW LARGE FORMAT PAVERS





AUSTRAL

BROADWAY 150 RANGE





ADBRI HAVEN SLAB RANGE




230x115mm x40mm Deep





PREMIUM COLLECTION



PGH
*WIRE CUT COLLECTION



CLAY PAVE

*REGENCY COLLECTION

*Please check extra cost of 'Premium Collection' with your builder.

Rojo

Tan

Sand

Mocha

Gold





GUIDE TO BRICK PAVED DRIVEWAY



- Pavers are laid on a sand bed over a 75mm concrete base, thus blending the strength of concrete with the natural beauty of pavers
 Stabilised jointing sand is swept into the joints, locking in from day one
 - Overall thickness 150mm
 - Won't sink, crack or deviate
 - Standard selections include the Austral Masonry Camino 50 Range, the Baines Easy Pave Range, Austral Broadway 150 Range, Adbri, Haven Brick and Haven Slab Ranges.









For Further information, please contact Gregat:

Pacific Brick Paving Pty Ltd | ABN 41 096 710 726 | Licence No. 137963C

Phone: 0412 454 683 | 02 4963 5222 | greg@pacificbrickpaving.com.au | PO Box 557 The Junction NSW 2291

www.pacificbrickpaving.com.au

