



BROADWAY 150

PRODUCT CODE	Broadway 150
DESCRIPTION	Concrete Pavers
COLOURS	Almond, Charcoal, Oyster, Stone

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (WIDTH X HEIGHT X LENGTH MM)	150x45x400
DIMENSIONAL CATEGORY	DPB2
AVERAGE WEIGHT (KG)	5.8
AVERAGE NUMBER PER TONNE	
NUMBER PER M ²	22.2
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	
MEAN COLD WATER ABSORPTION (%)	
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P5

AM-P-NSW-000305

Manufactured to AS/NZS 4455.2: 2010. Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013

BROADWAY 300



PRODUCT CODE	Broadway 300
DESCRIPTION	Concrete Pavers
COLOURS	Almond, Charcoal, Sandune, Oyster, Stone

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (WIDTH X HEIGHT X LENGTH MM)	300x45x400
DIMENSIONAL CATEGORY	DPB2
AVERAGE WEIGHT (KG)	9.8
AVERAGE NUMBER PER TONNE	
NUMBER PER M ²	11.11
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	
MEAN COLD WATER ABSORPTION (%)	
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P5

AM-P-NSW-000306

Manufactured to AS/NZS 4455.2: 2010. Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013



BROADWAY 400

PRODUCT CODE	Broadway 400
DESCRIPTION	Concrete Pavers
COLOURS	Almond, Charcoal, Sandune, Stone, Oyster

PROPERTIES & SPECIFICATIONS	
WORK SIZE DIMENSIONS (WIDTH X HEIGHT X LENGTH MM)	400x45x400
DIMENSIONAL CATEGORY	DPB2
AVERAGE WEIGHT (KG)	16.0
AVERAGE NUMBER PER TONNE	
NUMBER PER M ²	6.25
NUMBER PER PALLET	
CHARACTERISTIC BREAKING LOAD (kN)	
MEAN COLD WATER ABSORPTION (%)	
MEAN ABRASION RESISTANCE (CM ³)	
SLIP RESISTANCE CATEGORY	P5

AM-P-NSW-000307

Manufactured to AS/NZS 4455.2: 2010. Tested as per AS/NZS 4456: 2003 and 4586: 2013.

This data represents average results from commercial production lots and is for general description purposes only. Figures are accurate at date of publication and subject to change without notice. Contact Austral Masonry for confirmation of product specification. December 2013